ELSEVIER

Brain Research 768 (1997) 365–367

BRAIN RESEARCH

Author Index

Abbott, N.J., see Rist, R.J. (768) 10
Agnello, K., see Roth, J.A. (768) 63
Aizawa, Y., Fukatsu, R., Takamaru, Y., Tsuzuki, K., Chiba, H., Kobayashi, K., Fujii, N. and Takahata, N.
Amino-terminus truncated apolipoprotein E is the major species in amyloid deposits in Alzheimer's disease-affected brains: a possible role for apolipoprotein E in Alzheimer's disease (768) 208
Ambrogi Lorenzini, C.G., Baldi, E., Bucherelli, C., Sacchetti, B. and Tassoni, G.
Role of ventral hippocampus in acquisition, consolidation and retrieval of rat's passive avoidance response memory trace (768) 242
Armstead, W.M.
Role of impaired cAMP and calcium-sensitive K^+ channel function in altered cerebral hemodynamics following brain injury (768) 177
Armstrong, D.M., see Mizukami, K. (768) 354
Arvanov, V.L. and Wang, R.Y.
NMDA-induced response in pyramidal neurons of the rat medial prefrontal cortex slices consists of NMDA and non-NMDA components (768) 361
Aston-Jones, G., see Jodo, E. (768) 327
Atlante, A., see Minervini, M. (768) 57

Baldi, E., see Ambrogi Lorenzini, C.G. (768) 242
Barron, K.W., see Garrett, K.M. (768) 301
Barth, D.S., see Jones, M.S. (768) 167
Bénavidès, J., see Cudennec, A. (768) 257
Black, I.B., see Van Praag, H. (768) 233
Bodineau, L., see Wallois, F. (768) 71
Borowitz, J.L., Gunasekar, P.G. and Isom, G.E.
Hydrogen cyanide generation by μ-opiate receptor activation: possible neuromodulatory role of endogenous cyanide (768) 294
Bradbury, M.J., Dement, W.C. and Edgar, D.M.
Serotonin-containing fibers in the suprachiasmatic hypothalamus attenuate light-induced phase delays in mice (768) 125
Briscoe, R.J., see Garrett, K.M. (768) 301
Briski, K.P., DiPasquale, B.M. and Gillen, E.
Induction of immediate–early gene expression in preoptic and hypothalamic neurons by the glucocorticoid receptor agonist, dexamethasone (768) 185
Bucherelli, C., see Ambrogi Lorenzini, C.G. (768) 242

Cadet, J.L., see Hirata, H. (768) 345
Cai, X.-H., see Lu, Y.-F. (768) 266
Calissano, P., see Minervini, M. (768) 57
Carvalho, A.P., see Ferreira, I.L. (768) 157
Cazevieille, C., Safa, R. and Osborne, N.N.
Melatonin protects primary cultures of rat cortical neurones from NMDA excitotoxicity and hypoxia/reoxygenation (768) 120
Chabot, C., Massicotte, G., Milot, M., Trudeau, F. and Gagné, J.
Impaired modulation of AMPA receptors by calcium-dependent processes in streptozotocin-induced diabetic rats (768) 249
Chan, M.W.K., see Rist, R.J. (768) 10
Chiba, H., see Aizawa, Y. (768) 208
Choleris, E., see Kavaliers, M. (768) 30
Chow, S.Y., see Liu, Y. (768) 19
Ciotti, M.T., see Minervini, M. (768) 57
Colangelo, V., Di Grezia, R., Passarelli, F., Musicco, M., Pontieri, F.E. and Orzi, F.
Differential effects of acute administration of clozapine or haloperidol on local cerebral glucose utilization in the rat (768) 273
Couraud, P.-O., see Rist, R.J. (768) 10
Cudennec, A., Fage, D., Bénavidès, J. and Scatton, B.
Effects of amisulpride, an atypical antipsychotic which blocks preferentially presynaptic dopamine autoreceptors, on integrated functional cerebral activity in the rat (768) 257
Czyrak, A., see Wędzony, K. (768) 333

De Fiebre, C.M., see Meyer, E.M. (768) 49
Dement, W.C., see Bradbury, M.J. (768) 125
Dempesy, C.W., Richardson, D.E., Kocsis, B., Fontana, C.J. and Song, J.-H.
Neurons of the rostral para-ambiguual field have activity correlated to the 10-Hz rhythm in sympathetic nerve discharge of urethane-anesthetized cat (768) 102
Di Grezia, R., see Colangelo, V. (768) 273
DiPasquale, B.M., see Briski, K.P. (768) 185
Duarte, C.B., see Ferreira, I.L. (768) 157
Duggal, N., Schmidt-Kastner, R. and Hakim, A.M.
Nestin expression in reactive astrocytes following focal cerebral ischemia in rats (768) 1
Duron, B., see Wallois, F. (768) 71

Edgar, D.M., see Bradbury, M.J. (768) 125
Espinoza, J., see Zeise, M.L. (768) 341

Fage, D., see Cudennec, A. (768) 257
Fein, A., see Vallet, A.M. (768) 91
Ferreira, I.L., Duarte, C.B. and Carvalho, A.P.
'Chemical ischemia' in cultured retina cells: the role of excitatory amino acid receptors and of energy levels on cell death (768) 157
Fischer, I., see Liu, Y. (768) 19
Fontana, C.J., see Dempesy, C.W. (768) 102
Frank, M.G. and Heller, H.C.
Neonatal treatments with the serotonin uptake inhibitors clomipramine and zimelidine, but not the noradrenaline uptake inhibitor desipramine, disrupt sleep patterns in adult rats (768) 287
Fujii, N., see Aizawa, Y. (768) 208
Fukatsu, R., see Aizawa, Y. (768) 208

Gagliardi, S., see Minervini, M. (768) 57
Gagné, J., see Chabot, C. (768) 249
Gallo, R.V., see Smith, M.J. (768) 111
Garcia, M.C. and Kim, H.-Y.
Mobilization of arachidonate and docosahexaenoate by stimulation of the 5-HT_{2A} receptor in rat C6 glioma cells (768) 43
Garrett, K.M., Barron, K.W., Briscoe, R.J. and Heesch, C.M.
Neurosteroid modulation of [^{3}H]flunitrazepam binding in the medulla: an autoradiographic study (768) 301
Gillen, E., see Briski, K.P. (768) 185
Goodwin, J.L., Kehrli Jr., M.E. and Uemura, E.
Integrin Mac-1 and β-amyloid in microglial release of nitric oxide (768) 279
Gunasekar, P.G., see Borowitz, J.L. (768) 294

Hakim, A.M., see Duggal, N. (768) 1
Heesch, C.M., see Garrett, K.M. (768) 301
Helke, C.J., see Ichikawa, H. (768) 349
Heller, H.C., see Frank, M.G. (768) 287
Hernández, L., see Rada, P. (768) 338
Himes, B.T., see Liu, Y. (768) 19
Hirata, H. and Cadet, J.L.
Methamphetamine-induced serotonin neurotoxicity is attenuated in p53-knockout mice (768) 345
Huang, G.-l., see Meyer, E.M. (768) 49
Huang, W., see Liu, Y. (768) 19

Iacovitti, L., Stull, N.D. and Johnston, K.
Melatonin rescues dopamine neurons from cell death in tissue culture models of oxidative stress (768) 317
Ichikawa, H. and Helke, C.J.
Coexistence of calcium-binding proteins in vagal and glossopharyngeal sensory neurons of the rat (768) 349

Ikeda, T., see Terayama, R. (768) 135
Ikonomovic, M.D., see Mizukami, K. (768) 354
Insel, T.R., see Wang, Z. (768) 147
Isom, G.E., see Borowitz, J.L. (768) 294

Jodo, E. and Aston-Jones, G.
Activation of locus coeruleus by prefrontal cortex is mediated by excitatory amino acid inputs (768) 327
Johnston, K., see Iacovitti, L. (768) 317
Jones, M.S. and Barth, D.S.
Sensory-evoked high-frequency (γ-band) oscillating potentials in somatosensory cortex of the unanesthetized rat (768) 167

Kavaliers, M. and Choleris, E.
Sex differences in *N*-methyl-D-aspartate involvement in κ opioid and non-opioid predator-induced analgesia in mice (768) 30
Kehrli Jr., M.E., see Goodwin, J.L. (768) 279
Kim, H.-Y., see Garcia, M.C. (768) 43
Kobayashi, K., see Aizawa, Y. (768) 208
Kocsis, B., see Dempesy, C.W. (768) 102

Lalonde, R., see Le Marec, N. (768) 310
Le Marec, N. and Lalonde, R.
Sensorimotor learning and retention during equilibrium tests in Purkinje cell degeneration mutant mice (768) 310
Liu, Y., Himes, B.T., Moul, J., Huang, W., Chow, S.Y., Tessler, A. and Fischer, I.
Application of recombinant adenovirus for in vivo gene delivery to spinal cord (768) 19
Lu, Y. and Wehner, J.M.
Enhancement of contextual fear-conditioning by putative (±)-α-amino-3-hydroxy-5-methylisoxazole-4-propionic acid (AMPA) receptor modulators and *N*-methyl-D-aspartate (NMDA) receptor antagonists in DBA/2J mice (768) 197
Lu, Y.-F., Moriwaki, A., Tomizawa, K., Onuma, H., Cai, X.-H. and Matsui, H.
Effects of vasopressin and involvement of receptor subtypes in the rat central amygdaloid nucleus in vitro (768) 266

Macron, J.M., see Wallois, F. (768) 71
Marlot, D., see Wallois, F. (768) 71
Marra, E., see Minervini, M. (768) 57
Massicotte, G., see Chabot, C. (768) 249
Matsui, H., see Lu, Y.-F. (768) 266
Meyer, E.M., Tay, E.T., Papke, R.L., Meyers, C., Huang, G.-l. and De Fiebre, C.M.
3-[2,4-Dimethoxybenzylidene]anabaseine (DMXB) selectively activates rat α7 receptors and improves memory-related behaviors in a mecamylamine-sensitive manner (768) 49
Meyers, C., see Meyer, E.M. (768) 49
Milot, M., see Chabot, C. (768) 249
Minervini, M., Atlante, A., Gagliardi, S., Ciotti, M.T., Marra, E. and Calissano, P.
Glutamate stimulates 2-deoxyglucose uptake in rat cerebellar granule cells (768) 57
Mishizin, A., see Mizukami, K. (768) 354
Mizukami, K., Mishizin, A., Ikonomovic, M.D., Sheffield, R. and Armstrong, D.M.
Alterations of AMPA-selected glutamate subtype immunoreactivity in the dentate gyrus after perforant pathway lesion (768) 354
Moody, K., see Wang, Z. (768) 147
Morales, P., see Zeise, M.L. (768) 341
Moriwaki, A., see Lu, Y.-F. (768) 266
Moul, J., see Liu, Y. (768) 19
Murzi, E., see Rada, P. (768) 338
Musicco, M., see Colangelo, V. (768) 273

Nagamatsu, N., see Terayama, R. (768) 135
Nagane, Y., see Tohgi, H. (768) 86
Nakamura, T., see Terayama, R. (768) 135
Nalli, A., see Zeise, M.L. (768) 341
Newman, J.D., see Wang, Z. (768) 147
Nishimori, T., see Terayama, R. (768) 135

Onuma, H., see Lu, Y.-F. (768) 266
Orzi, F., see Colangelo, V. (768) 273
Osborne, N.N., see Cazevieille, C. (768) 120

Papke, R.L., see Meyer, E.M. (768) 49
Passarelli, F., see Colangelo, V. (768) 273
Penney, J.B., see Wüllner, U. (768) 215
Pontieri, F.E., see Colangelo, V. (768) 273

Rabin, R., see Roth, J.A. (768) 63
Rada, P., Tucci, S., Murzi, E. and Hernández, L.
Extracellular glutamate increases in the lateral hypothalamus and decreases in the nucleus accumbens during feeding (768) 338
Rahman, O.I.F., see Terayama, R. (768) 135
Richardson, D.E., see Dempesy, C.W. (768) 102
Rist, R.J., Romero, I.A., Chan, M.W.K., Couraud, P.-O., Roux, F. and Abbott, N.J.
F-Actin cytoskeleton and sucrose permeability of immortalised rat brain microvascular endothelial cell monolayers: effects of cyclic AMP and astrocytic factors (768) 10
Romero, I.A., see Rist, R.J. (768) 10
Roth, J.A., Rabin, R. and Agnello, K.
Melatonin suppression of PC12 cell growth and death (768) 63
Roux, F., see Rist, R.J. (768) 10

Sacchetti, B., see Ambrogi Lorenzini, C.G. (768) 242
Safa, R., see Cazevieille, C. (768) 120
Saitoh, K., see Tohgi, H. (768) 86
Sakoda, S., see Terayama, R. (768) 135
Salzet, M. and Stefano, G.B.
Invertebrate proenkephalin: δ opioid binding sites in leech ganglia and immunocytes (768) 224
Sato, M.
Effects of the removal of extracellular Ca^{2+} on $[Ca^{2+}]_i$ responses to FCCP and acetate in carotid body glomus cells of adult rabbits (768) 37
Scatton, B., see Cudennec, A. (768) 257
Schmidt-Kastner, R., see Duggal, N. (768) 1
Sheffield, R., see Mizukami, K. (768) 354
Shiba, R., see Terayama, R. (768) 135
Smith, M.J. and Gallo, R.V.
The effect of blockade of κ-opioid receptors in the medial preoptic area on the luteinizing hormone surge in the proestrous rat (768) 111
Song, J.-H., see Dempesy, C.W. (768) 102
Standaert, D.G., see Wüllner, U. (768) 215
Stäubli, U.V., see Van Praag, H. (768) 233
Stefano, G.B., see Salzet, M. (768) 224
Stull, N.D., see Iacovitti, L. (768) 317

Takahata, N., see Aizawa, Y. (768) 208
Takamaru, Y., see Aizawa, Y. (768) 208
Tassoni, G., see Ambrogi Lorenzini, C.G. (768) 242
Tay, E.T., see Meyer, E.M. (768) 49
Terayama, R., Nagamatsu, N., Ikeda, T., Nakamura, T., Rahman, O.I.F., Sakoda, S., Shiba, R. and Nishimori, T.
Differential expression of Fos protein after transection of the rat infraorbital nerve in the trigeminal nucleus caudalis (768) 135
Tessler, A., see Liu, Y. (768) 19
Testa, C.M., see Wüllner, U. (768) 215
Tohgi, H., Utsugisawa, K., Yoshimura, M., Yamagata, M., Nagane, Y. and Saitoh, K.
Reduction in the ratio of β-preprotachykinin to preproenkephalin messenger RNA expression in postmortem human putamen during aging and in patients with status lacunaris. Implications for the susceptibility to parkinsonism (768) 86
Toloczko, D., see Wang, Z. (768) 147
Tomizawa, K., see Lu, Y.-F. (768) 266
Trudeau, F., see Chabot, C. (768) 249
Tsuzuki, K., see Aizawa, Y. (768) 208
Tucci, S., see Rada, P. (768) 338

Uemura, E., see Goodwin, J.L. (768) 279
Utsugisawa, K., see Tohgi, H. (768) 86

Vallet, A.M. and Fein, A.
A role for hydrolysis of inositol 1,4,5-trisphosphate in terminating the response to inositol 1,4,5-trisphosphate and to a flash of light in *Limulus* ventral photoreceptors (768) 91
Van Praag, H., Black, I.B. and Stäubli, U.V.
Neonatal vs. adult unilateral hippocampal lesions: differential alterations in contralateral hippocampal theta rhythm (768) 233

Wallois, F., Bodineau, L., Macron, J.M., Marlot, D. and Duron, B.
Role of respiratory and non-respiratory neurones in the region of the NTS in the elaboration of the sneeze reflex in cat (768) 71
Wang, R.Y., see Arvanov, V.L. (768) 361
Wang, Z., Toloczko, D., Young, L.J., Moody, K., Newman, J.D. and Insel, T.R.
Vasopressin in the forebrain of common marmosets (*Callithrix jacchus*): studies with in situ hybridization, immunocytochemistry and receptor autoradiography (768) 147

Wędzony, K. and Czyrak, A.
The distribution of the NMDA R1 subunit in the rat hippocampus – an immunocytohistochemical study (768) 333
Wehner, J.M., see Lu, Y. (768) 197
Wüllner, U., Standaert, D.G., Testa, C.M., Penney, J.B. and Young, A.B.
Differential expression of kainate receptors in the basal ganglia of the developing and adult rat brain (768) 215
Yamagata, M., see Tohgi, H. (768) 86
Yoshimura, M., see Tohgi, H. (768) 86
Young, A.B., see Wüllner, U. (768) 215
Young, L.J., see Wang, Z. (768) 147
Zeise, M.L., Espinoza, J., Morales, P. and Nalli, A.
Interleukin-1β does not increase synaptic inhibition in hippocampal CA3 pyramidal and dentate gyrus granule cells of the rat in vitro (768) 341